






## 再转印打印原理

"â`À\$Á3`\$Á3Ö8,,7,,•aoa SC/{3BFŠRf`è#OGÙ(S"\$iÙ"•3`\$Á #... hF}GÙ9fRW`Á\$ÁRñ \_êB`%c`â-[-Á\$ÁRñ \_GÙ(S"\$soa BB`Á \$Á`B`É#öBB#°K %c ê%"\$àXâ%}]#...\$¶Cœ \_êa.9OE-†RR#`±#O 0u^ÚI-?ZB¼CœOü6•8ñGÙ] K saoa a.K"3Ö8,,#`±GÙ] KQe J= rg‡=%og‡#f rg‡ 8 9 N€\*kP ê6•8ñ`Ò s



## 超高清晰 600DPI 分辨率打印

o`Ú8UI-3`\$Á#[`ýDÜ ³ G S L ê μ%D :{}\*oK"MĐ(à ê\*oK' 8¥^}GÜ\$¶Cœ \_è#OI-?Z7Á ri-^}c\$GÙ(SCœ s ^SC & 0 < SC :DA8^GÙfe/ù%áP Sx=%o/È%•E "½0¾(S"\$ s-N äp&GÒ(S"\$3k \$ªp&SC6Ü,- ê1| L=)8ÖI-GÜ\$ªp&SC/{aW%}I-#[`ýDÜ r"½ZÜH+ %á,áPãAA/ú3`\$Á s`â`Á\$ÁSC/{^}c\$`^B êIÄ!2-N ã=\$ • ± o æ75] \*-d ç êbRRR3`\$Á#O b oZ•SC r b7h#f6;3k%-=¶GÙ(S "\$ c6Ü,- s



## MA600 超大卡证件打印机特点

- aoa BB\$œ£`â`À\$Á3`\$Á7 Od,óE I-N /û ri-N P GÜ3`\$Á& ^}
- "â`À\$Á3Ö8,,%áCÍ<BSÇ/{#`±#OGÙ\$¶Cœ"i8^Qe#f6; rg‡=%o rg‡ Z•SC r g‡N€\*kP GÜCÍB
- aoa b%-M\$¶CœaWbç'½GÜ`Á4.,óE %YK"-M\$¶CœGÜ"Ñ 3`\$Á
- "½c&-³9 8Ü •1ý/{8°K^,iGÜ3`\$Á1|RR
- 6,,4V\*oK"MĐ(à r\*oK"8¥^}\$¶Cœ3`\$Á




# MA600 打印机图示



1 打印机进卡托盘 2 全金属外壳



3 打印机侧盖，打开后装色带与转印膜




4 再转印模块，左边绿色框装色带，右边绿色框装转印膜 5 打印机背面



## 可打印各种尺寸证件，支持异型卡

bç%] b%a--MGÛa0\$¶3-H- ê 0\$ ] K3"\$Å8•%D :6,,4V & 5 ; P P r&5 æ ; P P ç  
 & 5 [ P P r,' [ P P Lž\*oK"9#\# :% h³9\# --M\$¶CœGÛ3"\$Å ê8U\*]6,,4V [ P P  
 a #...a 3"\$Å ê\$¶;R8U\*|%D6"PÃ\$¶Cœ--M • [ P P êgä8•9\bç & 5 a0\$¶3-H- ê\*x8ñhUZÖ"Ë +-  
 3kQZ([0· r1 0·LžCÍ<ß--M]L c3f AQ©NP,ï#< s

# 标准卡与MA600 打印最大范围参照



## 打印机规格

打印技术

BB\$œ\$£"â`Á\$Å

打印分辨率

G S L

打印速度

K'

打印色带

& 0 < 0¾SÇSÇ/{ Ou \$ì ê`Á\$ÅRñ \$ì Ou  
K单黑色带 Ou \$ì

打印机尺寸

F P I- [ F P - [ F P ?F

卡片尺寸

gä8•9\bç\$¶Cœ-•-M & 5 [ P P  
8U\*|a #...a 3`\$Å-•-M P P [ P P  
8U\*|%D6“PÃ\$¶Cœ-•-M P P [ P P  
%Da^3-H-\$¶Cœ-•-M ø & 5 [ P P  
& 5 ; P P ê ; Lž ;

重量

O E N J

电源规格

9 \$ & + ] \$

接口

F; ê3 #ý0U"È 8•%½hUR!%cF@#O  
8 6 % l-at

